

## Interceptor Discharge Permit Application

Please complete a separate application for each trap or interceptor on site

A grease trap is a small grease disposal device usually located under the sink and above the ground. Sizes usually will vary from 10 gallons up to 100 gallons.

A **grease interceptor** is located under the ground and it has a greater capacity than the grease trap. Sizes of grease interceptors are usually 500 gallons and up. As provided in the SJRA Grease Program document, an interceptor is intended to intercept, separate and prevent passage of grease, oil, fats, sand, grit, lint, or other objectionable solids into the collection system to which it is connected.

All traps or interceptors should be sized and installed according to the "Guidance Document for Sizing and Installation of Interceptors" prepared by the San Jacinto River Authority.

Business Name:				Date of Application:	
Business address where interceptor is located:				Utility Billing Acct #:	
Name of Responsible Person a	Email A	ddress:	Phone Number:		
Business Owner/Corporation:		Email A	ddress:	Phone Number:	
Mailing Address of Business Owner/Corporation:					
Building Owner/Landlord:		Email Addr	ess:	Phone Number:	
Mailing Address of Building Owner/Landlord:					
Responsible Business Owner/Landlord/Corporation of the Interceptor:					
Primary contact for compliance:					
PLEASE CHECK ONE:	New Ap	oplication	Renewal	Replacement	
If this is an application for renewal, or request for replacement, please enter current SJRA Intercep		-	Permit Number	Expiration	
permit number:					

1. Complete all applicable information:

## 2. Type of Business:

CAR WASH	SCHOOL	RESTAURANT	
HOSPITAL	CONVENIENCE STORE	HOTEL	
BAKERY	CLUB CENTER	DAYCARE	
NURSING HOME	AUTO REPAIR SHOP	CHURCH	
FOOD PREPARATION	DRY CLEANER	WASHATERIA	
OTHER			

If "OTHER" was selected, please describe the type of business: \_\_\_\_\_

- 3. Please attached a complete copy of your <u>MENU</u> for San Jacinto River Authority records, if applicable.
- 4. Type of Trap or Interceptor:

GREASE TRAP		GREASE INTERCEPTOR	GRIT	
LINT		OIL/WATER SEPARATOR	HOLDING TANK	
OTHER: (PLEASE	DESCRIBE)			

- 5. Include interceptor/trap manufacturer: \_\_\_\_\_
- 6. Please insert or attach a drawing of your facility, include the approximate location of the interceptor, the piping, and the sewer connection.

- 7. Include a copy of your engineered floor plumbing plan. If not available, please include a drawing with application. See attached example (Plumbing Floor Plan):
- 8. Seating capacity, include bar area seating:

## 9. Interceptor Information

Interceptor/Trap Capacity:	Interceptor/Trap is pumped out approximately every days by
GALLONS	(Name of Hauling Service Provider)

10. Please insert or attach a drawing of your interceptor. Include manhole covers and sample well or clean-out.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature	of Primary	Contact

Date

Please submit this form to:

San Jacinto River Authority Environmental Department 2436 Sawdust Road The Woodlands, TX 77380