

Jon Niermann, *Chairman*
Emily Lindley, *Commissioner*
Bobby Janecka, *Commissioner*
Toby Baker, *Executive Director*



TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

Protecting Texas by Reducing and Preventing Pollution

May 4, 2021

Mr. Jason Williams
Operations and Maintenance Manager
San Jacinto River Authority
Via E-Mail

Re: Compliance Evaluation and Complaint Investigation at:
The Woodlands Wastewater Treatment Facility No. 1
2436 Sawdust Road, The Woodlands (Montgomery County), Texas 77380
Regulated Entity No.: RN101513273, TCEQ ID No.: WQ0011401001,
EPA ID No.: TX0054186, Investigation No.: 1701917

Dear Mr. Williams:

On February 4, 2021 and March 30, 2021, Mr. Luke Romanko and Mr. Jack Coleman, Environmental Investigators of the Texas Commission on Environmental Quality (TCEQ) Houston Region Office, conducted investigations of the above-referenced regulated entity to evaluate compliance with applicable requirements for water quality. No violations are being alleged as a result of the investigation; however, please see the enclosed additional issues.

The TCEQ appreciates your assistance in this matter and your compliance efforts to ensure protection of the State's environment. If you or members of your staff have any questions regarding these matters, please feel free to contact Mr. Luke Romanko in the Houston Region Office at (713) 422-8944 or Mr. Jack Coleman at (713) 767-3774.

Sincerely,

A handwritten signature in black ink, appearing to read "P. Hudson".

Priscilla Hudson
Water Quality Team Leader
Houston Region 12

PH/LR/tj

cc: Mr. Rick Moore, Utility Operations Superintendent, 2436 Sawdust Road, The Woodlands, Montgomery County, Texas 77380

Enclosures: Summary of Investigation Findings

Summary of Investigation Findings

WOODLANDS

2436 SAWDUST RD

THE WOODLANDS, MONTGOMERY COUNTY, TX 77380

Investigation #

1701917

Investigation Date: 02/04/2021

Additional ID(s): WQ0011401001
TX0054186
R11401001

No Violations Associated to this Investigation

ADDITIONAL ISSUES

Description

Item 1

Additional Comments

Steps should continue to be taken to properly mitigate odors from the wastewater treatment facility going off-site.

The SJRA is in the process of studying the area in order to address potential odors issues. The SJRA continues to provide updates to the TCEQ.