



GRP Review Committee

April 20, 2026

1. Call to Order

2. Public Comments

3. Work Session

3.1

Items by GRP Administrator

Schedule For GRP Appointment/Election Process

April 2026	Notices mailed to participants that are “conservation and reclamation districts, other than members of The Woodland Joint Powers Agency, or its successors, which are located primarily to the west of Interstate Highway 45”, “municipalities, exclusive of the City of Conroe”, and "members of The Woodland Joint Powers Agency, or its successors". <i>(Mailed 3rd week of March 2026)</i>
By July 1, 2026	Nomination resolutions are due to the San Jacinto River Authority (SJRA).
Before August 1, 2026	Deadline for SJRA to send out ballots to Participants mentioned above for contested elections.
Before November 1, 2026	Deadline to return ballots and appointment resolutions to SJRA.
Before December 1, 2026	Deadline for SJRA to submit results to the governing body of each Participant.
January 25, 2027	Seat new members

Appointments

Erich Peterson, P.E.

Woodlands Water

Term: 2026

Election

James Corn

Municipalities other than
City of Conroe

Term: 2026

Jackie Chance

MUDs West of I-45

Term: 2026

3.1.1

Surface Water Allocation Requests

Surface Water Requests Received to Date

Entity	Request Made	Readiness After Approval	Minimum Requested (Gallons / Day)	Maximum Requested (Gallons / Day)	Daily Average (Gallons)	Annual Allocation (Gallons / Year)	Notes
WC&ID No. 1	10/14/24	2 years	400,000	400,000	400,000	146,000,000	Analysis underway
MUD 94	08/06/25	3-4 years	200,000	500,000	350,000	127,750,000	Analysis underway
MUD 99	12/09/25	Immediate	1,022,400	1,022,400	1,022,400	373,176,000	Analysis underway
Woodlands	03/03/26	Immediate	-	-	8,800,000	3,212,000,000	Requested increase of 1 MGD (Current average is 7.80 MGD)
<i>Spring Creek UD</i>	NA	3-4 years	200,000	500,000	350,000	127,750,000	<i>Evaluating costs and options</i>

Overall Allocations with Requests

Entity	Avg. Day (MGD)	Min. Day (MGD)	Max Day (MGD)	Annual Allocation (Gallons)
City of Conroe	8.50	7.00	10.00	3,102,500,000
City of Oak Ridge North	0.19	0.15	0.30	69,350,000
MUD 99	1.02	1.02	1.02	372,300,000
MSEC	1.50	1.00	2.00	547,500,000
Rayford Road MUD	0.56	0.50	1.10	204,400,000
The Woodlands	8.80	5.50	12.10	3,212,000,000
Southern Montgomery County MUD	0.57	0.60	1.00	208,050,000
MUD 89	0.35	0.20	0.50	127,750,000
WC&ID No. 1	0.40	0.40	0.40	146,000,000
MUD 94	0.35	0.20	0.50	127,750,000
Spring Creek UD	0.35	0.20	0.50	127,750,000
Total With All Requests	22.59	16.77	29.42	8,245,350,000

3.1.2

GRP Transmission Line C2-Section Line Failure

C-2 Section GRP Transmission Line East of White Oak Creek

12" HDPE Water Line

30' Original Construction
Depth.

50' Diameter of Excavation

20' Below Creek Bed

80' East of Previous
September '25 Failure

Rain Complicating
Excavation/Repair

April
2nd

Leak
Identified/
Repair
Options
Considered

April
6th

Repair
Option
Underway

April
10th

Excavation
Resumed /
Weather
Challenges

April
11th


Deeper
Well
Points/
Continued
Excavation

April
12th

Damaged
Pipe
Section
Removed

April
13th

Determined
to Abandon
Section &
Re-Design
Line



3.1.3

GRP Contract Global Amendment Status Update

GRP Contract Global Amendment



April 9, 2026

Re: **Calendar Year 2025 Water Usage related to Proposed Global Amendment:**
Groundwater Reduction Planning, Alternative Water Supply, and Related Goods & Services Contracts (GRP Contracts)

Dear Participant:

Consistent with the City of Conroe litigation settlement, the San Jacinto River Authority (SJRA) previously sent out a request for feedback on a proposed amendment to all existing GRP Contracts (Global Amendment). In accordance with the terms of the GRP Contracts, the Global Amendment will become effective only upon approval by Participants representing an aggregate total water usage among all Participants during the prior calendar year of not less than eighty-five percent (85%) of such total water usage. We have completed the calculation of each Participant's total water usage during calendar year 2025 and enclosed the results with this letter.

Please review these calculations carefully and provide comments, questions, or proposed revisions by May 6, 2026. Feedback may be submitted via GRPAdministrator@sjra.net. After the comment period closes, SJRA will review all submissions and circulate a final version of the calendar year 2025 water usage calculations.

Please note that all comments submitted with respect to the Global Amendment are being reviewed by SJRA. We will provide additional information related to the timeline and process for Participant approval of the Global Amendment in the coming weeks.

SJRA greatly values your input and participation in this process. If you have any questions or require clarification, please contact Chris Meeks, GRP Administrator at GRPAdministrator@sjra.net or (936)588-1662. Thank you for your continued partnership and engagement.

Sincerely,



April 16, 2026

Re: Proposed Global Amendment – Anticipated Timeline

Dear Participant:

Consistent with prior communications regarding the proposed amendment to all existing GRP Contracts (the "Global Amendment"), SJRA is providing the anticipated timeline for the amendment and voting process.

In accordance with the terms of the GRP Contracts, the Global Amendment will become effective only upon approval by Participants representing an aggregate total water usage among all Participants during the prior calendar year of not less than eighty-five percent (85%) of such total water usage.

The anticipated timeline for this process is as follows:

- May 26, 2026 – Distribution of final calendar year 2025 water usage totals and corresponding voting percentages
- July 1, 2026 – Formal call for vote issued to Participants, with a 90-day voting period
- October 1, 2026 – Deadline for submission of votes
- November 1, 2026 – Distribution of [final results](#) to Participants

SJRA appreciates your continued participation and engagement in this process.

SJRA is available to meet with any Participant to discuss the proposed Global Amendment or address any questions. Participants may contact SJRA to request a meeting, and SJRA will schedule such meetings as needed.

If you have any questions or require additional information, please contact the GRP Administrator at GRPAdministrator@sjra.net.

Sincerely,

3.2

Lone Star Groundwater Conservation District

4. Action Items

4.1

Approval of Minutes

Recommendation

Approve the Minutes of the GRP Review Committee meeting of January 20, 2026.

4.2

GRP Membrane Replacement and Optimization

Project Location




Project Background

- **Membranes:** Utilized for treating water by removing particulates to meet the regulations for turbidity and pathogens.
- **Details:** Pall UNA-620A Microfiltration Membranes
- **Need for Replacement:** The existing membranes have been in operation since the plant was commissioned approximately 10 years ago and are exhibiting increased fouling and nearing the end of their expected service life.

Project Background

Timeline




Previous Studies



November 2024
Study to determine capacity bottlenecks across the SWTP




November 2024
Study to determine replacement alternatives for existing membranes



April 2025
Study to investigate optimizing use of chemicals for membrane cleaning

Project Timeline

Timeline



Scope of Work

Part 1 (Data Collection and Path Forward)

- Membrane Autopsy
- Maximizing Unutilized capacity:
 1. Pretreatment
 2. Membranes
 3. Granular Activated Carbon
- Stress Testing Protocol
- Initial TCEQ Coordination
- Technical Memorandum




Next Steps

- **Part 2 (Evaluation of Improvements):**
 - Field evaluation
 - Membrane replacement alternatives
 - Microfiltration system optimization
- **Part 3 (Implementation of Improvements):**
 - Pilot/Demonstration Testing
 - TCEQ Coordination
 - Design of improvements
 - Construction sequencing
 - Optimization, implementation and final testing



Next Steps

Timeline



Recommendation

Recommendation of approval to the SJRA Board of Directors of a Professional Services Agreement and Work Order No. 1 for GRP Membrane Replacement and Optimization with Plummer Associates, Inc.

5.

Future GRP Review Committee Meeting Agenda Items

May 26, 2026: 10-Year Project Plan

Review of Historic and Current GRP Scope and Legal Basis

Draft FY2027 GRP Division Budget and Rate Order Presentation

June 22, 2026: Recommendation on FY2027 Division Budget and Rate Order

May-26							Jun-26							Jul-26						
S	M	T	W	T	F	S	S	M	T	W	T	F	S	S	M	T	W	T	F	S
					1	2		1	2	3	4	5	6				1	2	3	4
3	4	5	6	7	8	9	7	8	9	10	11	12	13	5	6	7	8	9	10	11
10	11	12	13	14	15	16	14	15	16	17	18	19	20	12	13	14	15	16	17	18
17	18	19	20	21	22	23	21	22	23	24	25	26	27	19	20	21	22	23	24	25
24	25	26	27	28	29	30	28	29	30					26	27	28	29	30	31	
31																				

	GRP Review Committee Meeting
	SJRA Board Meeting
	Holiday - SJRA Closed

6.
Adjourn